DECKARMOR Premium Breathable Roof Deck Protection

Learn about

Protect Your Home With Premium, Breathable rotection

Roof Deck Protection should help protect your home and reduce trapped moisture at the same time (amazingly, most synthetic underlayments do NOT!).

It provides a critical extra layer of protection between your shingles and your roof deck — to help prevent wind-driven rain (or water from other sources) from infiltrating under your shingles and causing damage to your roof structure or to the inside of your home. In addition, premium-quality roof deck protection will:

- Help reduce trapped moisture from inside your attic, allowing it to escape (to help prevent structural decay, mold, and mildew)
- Provide longer-lasting leak protection than conventional "felts" (which can rot or become brittle before your shingles reach the end of their useful life)
- Lie flatter, so your shingles will lie flat and uniform

Deck- $Armor^{\mathbb{T}}$ Premium Breathable Roof Deck Protection is a key part of the GAF Lifetime Roofing System and has even earned the prestigious Good Housekeeping Seal (applicable in U.S. only; see back page).









WARNING:

Moisture trapped on the roof deck can result in decay, mold, mildew, and costly structural damage!









The very best roofing systems require Premium, Breathable Roof Deck Protection



Conventional organic felts can absorb moisture, causing severe buckling and wrinkling—and a terrible-looking roof



Deck-Armor™ Premium Breathable Roof Deck Protection resists moisture, so it lies flatter for a better-looking roof!

Deck-Armor[™] **Premium Breathable Roof Deck Protection** combines exceptional strength and excellent breathability to help protect your home against roof rot and other costly damage!

- Exceptionally Strong... At least 600% greater tear strength than standard #30 felt!†
- Revolutionary Breathable *Technology...* Helps prevent inside moisture from becoming trapped within your roofing system—and possibly causing mold, mildew, and expensive structural damage.
- Premium Construction... Exceptionally durable, non-asphaltic construction will not rot or become brittle (unlike conventional asphalt felts, which can disintegrate over time).
- Long-Lasting Protection... Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs.* (see back page)



• Looks Better... Unlike conventional asphalt felts, Deck-Armor™ Premium Breathable Roof Deck Protection resists wrinkling or buckling, so it lets your shingles lie flatter for a better-looking roof.

 † GAF trapezoidal tear strength testing per ASTM D4533.





Professional Installers Love Deck-Armor™Roof Deck Protection

The exceptional walkability of Deck-Armor™ Premium Breathable Roof Deck Protection helps keep installers safer on the job!

Deck-Armor™ Premium Roof Deck Protection combines high tear resistance and nail pull-through with a special slip-resistant surface for exceptional walkability — even on steeper pitches!

Tear Resistant...



At least 600% stronger than standard #30 felt—less chance of tearing during installation

GAF trapezoidal tear strength (lbs) testing per ASTM D4533

Installers' Best Choice

- Safer... Special slip-resistant surface provides enhanced walkability, even on steeper-pitched roofs.
- Resists Wrinkling... Unlike conventional asphaltic felts, Deck-Armor™ Roof Deck Protection resists wrinkling and buckling—and it will still remain flat.
- *Lightweight...* At 37 lb. (17 kg) per roll, it's nearly 1/3 the weight of a roll of #30 felt.
- *Faster Installation...* Extra-wide 54" (1.4 m) roll provides 50% more coverage per course than traditional 36" (914 mm) wide felts.
- Cooler To Work With... Light-blue surface is cooler in hot weather than conventional black felts.
- *Easier To Cut...* Spun-bound design is easier to cut than some other synthetic underlayments.

LIFETIME

COBRA® ATTIC

• Avoids Downtime... Will not become rigid in extreme cold weather or sticky in hot weather.

Less Chance Of Blow-Off... 214% higher

Deck-Armor[™] Roof Deck Protection

#30 felt

214% higher nail pull-through strength than #30 felt keeps product in place

GAF nail pull-through (lbs) testing per ASTM D3462

- *Versatile...* Recommended for use with asphaltic shingle roofing systems. May also be used with certain non-asphaltic roofing systems, such as metal, tile, wood, and slate.¹
 - ¹ Install following the Deck-Armor™ Roof Deck Protection published application instructions. Contact GAF Technical Services at 1-800-ROOF-411 or visit gaf.com for acceptable non-asphaltic roofing systems and limited warranty coverage.

Note: Deck-Armor $^{\mathbb{N}}$ must be installed using plastic cap nails or staples with plastic caps; do NOT use staples or nails without caps.

Specifications (Nominal)

- UV-stabilized polypropylene construction resists UV degradation for up to 180 days²
- Approx. 10 squares/roll (excludes laps)
- Approx. 37 lb. (17 kg)/roll
- 54" (137 cm) wide, 223' (68 m) long
- Miami-Dade County Product Control approved
- Florida Building Code approved
- ICC-ES ESR-2808
- Meets or exceeds the physical requirements of ASTM D226 and D4869
- Meets UL Class A fire rating when used with UL Class A rated roof coverings

²Note: 180-day UV resistance refers to standardized testing conducted to ensure the product will not physically degrade when exposed to UV. It is **NOT** related to withstanding water, snow, or wind. While Deck-Armor™ Roof Deck Protection is water resistant, it is **NOT** waterproof. **DO NOT USE** Deck-Armor™ Roof Deck Protection as a temporary roof to protect property or possessions.

More Than Just Coverage On Your Shingles!

Get Automatic

Lifetime Protection

On Your Entire GAF Roofing System!*

When you install any GAF Lifetime Shingle and at least 3 qualifying GAF accessories, you'll automatically get:

- A Lifetime ltd. warranty on your shingles and all qualifying GAF accessories!*
- Non-prorated coverage for the first 10 years*



ROOF DECK LEAK

PROTECTION BARRIER

RIDGE CAP

STARTER STRIP



See Our Simily of complete coverage and restrictions. The word "Lifetime" refers to the length of coverage provided by the GAF Shingle & Accessory Ltd. Warranty and means as long as the original individual owner(s) of a single-tamily detached residence for the second owner(s) in certain circumstances) owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime Itd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.





The GAF Lifetime Roofing System has earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind the products in this system. (Refer to Good Housekeeping Magazine for its consumer protection policy. Applicable in U.S. only.)

